



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 4
ATLANTA FEDERAL CENTER
61 FORSYTH STREET, SW
ATLANTA, GEORGIA 30303-8960

January 4, 2021

Via Delivery as Email-attachment

Mr. Prashant K. Gupta
Honeywell, Inc.
115 Tabor Road
Morris Plains, NJ 07950

Dear Mr. Gupta:

The purpose of this letter is to provide comments to your submission of the "Identification Of Constituents of Potential Concern And Exposure Assessment - Human Health Baseline Risk Assessment Technical Memorandum for the LCP Chemicals Site, Brunswick, Georgia," dated October 2020 (hereinafter referred to as the OU2 BRA Memo). The OU2 BRA Memo is a document to be used in scoping the full Remedial Investigation and Baseline Risk Assessment Report as required under the 1995 Administrative Order by Consent. The comments below were generated by EPA's review of the OU2 BRA Memo and comments provided by the Georgia Environmental Protection Division.

If you have questions regarding the preceding, please contact me at (404) 562-8506 or [HYPERLINK "mailto:pope.robert@epa.gov"]. Note that due to the EPA Region 4 response to the COVID-19 Coronavirus situation, hard copies of documents are difficult to receive, so it is requested that submittals be made by electronic methods as much as possible until the EPA Region 4 offices are fully re-opened.

Sincerely,

Robert H. Pope, Senior Remedial Project Manager
Restoration & Sustainability Branch
Superfund and Emergency Management Division

Enclosure

cc: Melanie S. Jablonski, Georgia Power
Stephen P. Gonzalski, BP Corporation
J. McNamara, GAEPD

GENERAL COMMENTS

1. Further discussion is needed in the OU2 BRA Memo to determine if “surface soil” as normally considered exists in the Cell Building Area (CBA) and whether it should be evaluated as such. The CBA is covered by a 12 to 24-inch soil cover which was installed to prevent direct exposure during the Removal phase of the response at LCP. In addition, the soil cover is underlain by the pre-existing concrete floor slabs which extends for a large percentage of the area under the soil cover. As a result, “surface soil” as normally considered in an environmental investigation may not be present in a way to be evaluated in OU2.
2. Further discussion is also needed in the OU2 BRA Memo to ensure that subsurface soil as a possible contributor through leachability to groundwater contamination is considered throughout the LCP Site. While OU3 evaluated surface soil outside of the CBA, sub-surface soil contamination should be considered, discussed, and fully evaluated as a possible contributor to groundwater contamination. References to discussion and findings for the OU3 RI/BRA may be helpful and necessary to address the issue.
3. Related to the comment above, the OU2 BRA Memo should ~~more~~ thoroughly consider, discuss, and evaluate risks related to VOCs and possible SVOCs encountered in soil borings and groundwater sampling (including Photoionization Detector or PID readings during the investigation) possibly present as a result of past fuel related operations at the LCP Site.
4. While EPA concurs with the use of Frequency of Detection as a Risk Assessment methodology in the OU2 BRA Memo in keeping with the methodologies used for the OU3 Risk Assessment, some COPCs might be better represented by considering additional existing sample results in order to better validate the statistics. To address this potential issue, EPA requests currently existing subsurface sampling results outside of the boundaries of the CBA be considered to add to the data set. Please submit a list of results to be considered in the general area around the CBA, as appropriate.
5. EPA concurs on the use of the surrogate assignment list which was previously provided by EPA Region 4 for the OU3 HHBRA as was proposed in the OU2 BRA Memo.
6. Section 4.0, Exposure Assessment, of the Human Health Baseline Risk Assessment Technical Memorandum (HHBRA-TM) for the LCP OU2 Chemical Site Superfund Site (the Site) of the OU2 BRA Memo is incomplete and appears to be a work plan, rather than a finished assessment. Section 1.0 Introduction states the following (bold added for emphasis): “Specifically, **the TM delivers the results of the screening** of the database for Site-wide groundwater and [chlor-alkali cell building area] CBA soil for identification of Constituents of Potential Concern (“COPC”), **as well as the Exposure Assessment...**”. Section 3.0 does include the development of the database and the COPC screening methodology. However, Section 4.0 is written in the future tense and there are elements missing from a complete exposure assessment. For example, Page 8 states, “...the HHBRA *will* be based on unrestricted groundwater use (i.e., residential potable use)...” etc. If the intent of this section is to propose the elements that will be incorporated into a forthcoming exposure assessment, then this should be stated clearly in the introduction of the HHBRA-TM OU2 BRA Memo. Therefore, revise the HHBRA-TM OU2 BRA Memo to clarify the intent of the document.
7. The risk assessment methodology is not identified in Section 1.0, Introduction, of the OU2 BRA

Commented [MG1]: Based on what I read in the memo, they have adjusted the depth and found COPCs within 2 feet, which is considered surface soils. Let's discuss when you have a chance.

MemoHHBRA-TM. Following on from Comment #1, the 8-step or site-specific process of the baseline human health risk assessment and the guidance documents upon which it is predicated should be summarized in the introduction to the memo to ensure that all upcoming parts of the evaluation are clearly noted. If Section 4.0, Exposure Assessment is, in fact, a work plan, then a definition of each part is a key element in setting up the forthcoming document. Revise Section 1.0 of the HHBRA-TMOU2 BRA Memo to cite the steps of the risk assessment methodology and the guidance documents that will be followed.

8. The Uncertainty Evaluation for COPCs presented in Section 3.4 is incomplete. Besides detection limits, consideration should also be given to uncertainties related to soil cover assumptions, data processing, and sample numbers/methods, as these items potentially impact the remainder of the risk assessment. Revise Section 3.4 of the HHBRA-TMOU2 BRA Memo to expand the uncertainty analysis to include uncertainties associated with other aspects of the data screening process, including those mentioned in this comment.
9. Surrogate RSLs are not identified in the COPC selection tables, Tables 1, 2, 3 and 4. Revise these tables to include the constituents for which surrogate RSLs were assigned.
10. It is customary in the Introduction to preview whether an ecological risk assessment will be performed for the Site. Revise the HHBRA-TMOU2 BRA Memo to include mention of whether an ecological risk assessment will be conducted. Additionally, state whether any previous risk assessments have been conducted at OU2, and if so, summarize the results.
11. Section 2.0 Background is missing a description of the past and present Site operations. Without knowing the chemical processes and the type of manufacturing that was conducted at the LCP Chemicals facility, the selection of COPCs cannot be placed in the proper context, particularly if the eventual HHBRA will be a stand-alone document. Although currently shown in an abbreviated manner in Section 4.0, revise Section 1.0 of the HHBRA-TMOU2 BRA Memo to include descriptions of the Site operations, as well as a brief summary of the Site characterization mentioned in the Introduction. Alternatively, include a statement that the additional required background information will be included in the full Remedial Investigation Report.
12. There are complete exposure pathways that are missing from Section 4.3 Exposure Setting – Identification of Potential Receptors. Under the unrestricted groundwater use, future on site industrial/commercial workers would also be exposed to groundwater (as tapwater) via ingestion and inhalation of volatile organic compounds (VOCs), particularly since the land use is expected to remain commercial. Revise the HHBRA-TMOU2 BRA Memo to include industrial/commercial workers as receptors of site groundwater, and include the complete exposure pathways of ingestion of groundwater and inhalation of VOCs from potable water use.
13. Following on from Comment #5, the discussion of the receptor populations to be evaluated in the HHBRA lacks sufficient detail. For example, rationale to support selection of the receptor populations to be evaluated is not provided. Revise Section 4.3 of the HHBRA-TMOU2 BRA Memo to include more detailed discussion of how the receptor populations to be evaluated in the HHBRA were selected, citing applicable activity and land use assumptions.
14. There is no consideration of the potential for vapor intrusion into a theoretical future residential dwelling onsite. The fifth line of Section 4.5 Potential Exposure Pathways (Conceptual Site

Model [CSM]) mentions inhalation of COPCs from groundwater as a complete exposure route, however, this suggests inhalation of VOCs from potable water use. Revise the HHBRA TM to include inhalation of VOCs via vapor intrusion as a separate, potentially complete exposure route.

15. The Exposure Factors table on Page 10 is missing exposure parameters for the quantification of risks/hazards to Industrial workers and Trespassers. Although it is expected that the baseline residential case is conservative, and ultimately protective of less-exposed receptors, risk calculations should be performed for all receptors identified to be of concern. Revise the ~~HHBRA-TMOU2 BRA Memo~~ to add columns of variables pertinent to industrial workers and trespassers.
16. The Exposure Factors table refers to the receptor that will be evaluated quantitatively as a “Const Wkr” – construction worker. However, both throughout the text and on the CSMs, this receptor is referred to as an Excavation Worker. Revise the ~~HHBRA-TMOU2 BRA Memo~~ to standardize the name of this receptor and correct this discrepancy.
17. As discussed in *Supplemental Guidance for Developing Soil Screening Levels for Superfund Sites*, OSWER 9355.4.-24, December 2002, two exposure point concentrations (EPCs) based on soil should be developed for the assessment of residential exposure – one based on surface soil data only (representing the predominant basis for exposure) and one based on total soil data (forming the basis for exposure as a result of site redevelopment and grading, where the soil horizons are mixed, or where future residential activities may allow for periodic subsurface soil exposure). As shown on the inset table on Page 11, residential receptors will only be evaluated for exposure to the upper 2 feet of soil. Revise the ~~HHBRA-TMOU2 BRA Memo~~ to include consideration of residential exposure to both the upper 2 feet of soil and the upper 5 feet of soil.
18. Exposure equations detailing the calculation of daily intake are not provided for review. Revise Section 4.8 of the ~~HHBRA-TMOU2 BRA Memo~~ to provide the equations that will be used and/or the source of the equations, and include the symbols cited in the exposure factors table.
19. The designations on the CSM in Figure 6, Human Health Conceptual Site Model – OU2 Groundwater, are confusing and inappropriate. Although theoretically incomplete, the groundwater pathways are complete for the purposes of this HHBRA. Revise Figure 6 to remove, “Indicates incomplete pathways that are still being evaluated quantitatively”, and designate all groundwater pathways as either potentially complete or incomplete.
20. Following on from General Comment #8 above, Figure 6, Human Health Conceptual Site Model – OU2 Groundwater is missing construction (excavation) workers, who could be exposed to VOCs via inhalation in a trench. Revise Figure 6 to include construction (excavation) workers as future receptors for site groundwater.

SPECIFIC COMMENTS

Formatted: Indent: Left: 0", First line: 0"

1. *Section 4.3.1, pg 8, second paragraph, sentence 3 through the end of this paragraph: "The Site is currently zoned Basic Industrial...HHBRA will be based on unrestricted groundwater use (i.e., residential potable use) per EPA Guidance (EPA, 2018)...serves as a conservative baseline evaluation of theoretical residential risk."*This text paints a picture that the assessment of residential use of the groundwater is being assessed only due to very conservative guidance from EPA Region 4. In fact, this requirement for assessment of the groundwater is primarily based on the National Contingency Plan (EPA-FR 1990: "EPA expects to return usable ground waters to their beneficial uses wherever practicable...") as well as on the EPA National Risk Assessment Guidance (EPA 1989, 2010). Hence this text should be revised to reflect this wider scope of the need for protection/restoration of groundwater. The following text would be more appropriate:
 "Based on the current zoning for the site (Basic Industrial), as well as on Decision Documents EPA has issued for OU1 and OU3, it is not anticipated that the Site property will be developed as residential. EPA, however, always considers the potential use of the groundwater as a separate decision from the land use of the property itself. Since the state considers the groundwater underlying this site to be a source of potable water, EPA must then assess the groundwater as a potential source of residential drinking water. Accordingly, the OU2 groundwater is being assessed in a hypothetical future scenario assuming residential use of the water. The estimated scenario-specific health risks, together with health-based drinking water standards, will serve to determine if groundwater remediation needs to be considered, and if institutional control measures need to be implemented until the health protective concentrations are achieved."
2. *Section 4.3.2, assessment of exposure to soil in the CBA: "...the HHBRA will be assess restricted and unrestricted use (i.e., residential exposure) per EPA Guidance..."*For correctness and clarity, this text should be revised to read: : "...the HHBRA will also assess restricted use (i.e., industrial onsite worker exposure) and unrestricted use (i.e., residential exposure) per EPA Guidance..."
3. *Section 4.6, Table of Exposure Factors on pg 10.*The receptors and the exposure factors listed in this table are incomplete and ambiguous. For the residential exposure scenario, the receptors should be "Residential Child" and "Residential Adult". This table should also include exposure factors separately for the other receptors shown in the Conceptual Site Models (Figures 6 & 7)- i.e., the "Adult Industrial Worker" and the "Trespasser". The specific age-span and the exposure frequency of the assumed Trespasser should be clearly defined/explained.
4. *Tables 1 & 2, groundwater COPC selection.*Units of "mg/kg (milligrams per kilogram)" are shown on these tables. Units for groundwater concentration should be mass of contaminant per volume of water (i.e., mg/L or µg/L). The RSL and MCL values listed in these tables indicate that the RSL and MCL values are in µg/L units. Please correct the units stated on the table and verify that the contaminant concentration data are in the same units as the RSL and MCL values.
5. *Tables 1 & 2, groundwater COPC selection, screening of chromium.*No RSL is listed for chromium in groundwater. There are recommended EPA RSLs for trivalent chromium (Cr+3) and hexavalent chromium (Cr+6) in tap water. If no speciation of groundwater samples has been performed to determine the concentration of Cr+6, then the total chromium concentration should all be assumed to be Cr+6 for screening and assessment of groundwater (with appropriate discussion in the uncertainty section of the HHBRA regarding the

uncertainty of the quantity of each form of chromium as well as the uncertainty about whether ingested chromium is carcinogenic). If this assumption results in chromium posing unacceptable health risks, speciation analysis is recommended to determine the concentration of Cr+6 in site groundwater so that the risks can be more accurately assessed.

6. *Tables 3 & 4, CBA soil COPC selection, screening of chromium.*The RSL listed for chromium in these tables is for Cr+6 in residential soil. This RSL is appropriate to use for screening of total chromium if no speciation of soil samples has been performed to determine the concentration of Cr+6. As discussed in the previous comment, if the assumption of total soil chromium all being in the Cr+6 form results in Chromium posing unacceptable health risks, speciation analysis is recommended to determine the concentration of Cr+6 in site soil.
7. *Section 4.3.1 Groundwater.* Please define the word “clean” in the first paragraph, sixth line.

References:

EPA-FR 1990. *Federal Register, Environmental Protection Agency, 40 CFR Part 300, National Oil and Hazardous Substances Pollution Contingency Plan, Final Rule.* March 8, 1990

EPA 1989, 2010*. *Risk Assessment Guidance for Superfund, Volume I, Human Health Evaluation Manual, Part A.* Interim Final, EPA OERR, December 1989.
[*updates have been added to the electronic version of RAGS-A:
<http://www.epa.gov/oswer/riskassessment/ragsa/index.htm>]

EPA 2018b. *Region 4 Human Health Risk Assessment Supplemental Guidance.* March 2018 Update.
[<http://www.epa.gov/risk/region-4-human-health-risk-assessment-supplemental-guidance>]

Comments Provided by Georgia Environmental Protection Division (EPD)

1) Section 3.2.2: CBA Subsurface

This Section mentions that a mixed soil depth of 0-5 feet below ground surface (ft bgs) will be evaluated. Since there are more detections from 2-5 ft bgs than in the 0-2 ft bgs interval, there is a concern that combining surface soil and subsurface soil to evaluate mixed soil will dilute the mixed soil exposure point concentration (EPC). Section 2.21 of EPA’s *Region 4 Human Health Risk Assessment Supplemental Guidance* [R4HHRA]¹ indicates that surface and subsurface soil (which the guidance states is typically “*from the bottom of the defined depth of surface soil up to 10 feet below land surface*”) should be evaluated as separate media. Please justify evaluating mixed soil and/or provide correspondence where this was previously approved by EPA and EPD. If not, please evaluate surface and subsurface soil as separate media in the HHBRA.

¹ [R4HHRA] = United States, United States Environmental Protection Agency, EPA Region 4 Scientific Support Section, Superfund Division. (2018, March). *Region 4 Human Health Risk Assessment Supplemental Guidance*. Retrieved from [[HYPERLINK](https://www.epa.gov/sites/production/files/2018-03/documents/hhra_regional_supplemental_guidance_report-march-2018_update.pdf) "https://www.epa.gov/sites/production/files/2018-03/documents/hhra_regional_supplemental_guidance_report-march-2018_update.pdf"]

2) Section 3.3: COPC Screening Process

- a) Section 2.6.1 of [R4HHRA] indicates that “*Frequency of detection should not be used as a criterion for eliminating chemicals from the BRA without EPA Region 4 approval*”. Since frequency of detection (FOD) is being used to eliminate constituents as COPCs, please include written approval (email or letter communication) from EPA Region 4 as an Appendix to the HHBRA. EPD’s acceptance on the use of FOD for eliminating chemicals from further evaluation in the LCP OU2 risk assessment is contingent upon EPA Region 4 approval. If EPA Region 4 approval is not provided or cannot be obtained, please revise the HHBRA COPC Screening Tables by not using FOD as criterion for eliminating COPCs.
- b) The Memo states, “*that a surrogate assignment list was provided by EPA Region 4 for the OU3 HHBRA which was applied herein (Appendix A)*”. Section 3.0 of [R4HHRA] states that “*Any surrogates should be approved by EPA prior to BRA submission*”. To address this comment, please include written approval (email or letter communication) from EPA Region 4 clearly stating that the surrogates previously approved at OU3 are approved for use at OU2. EPD’s acceptance of proposed surrogate toxicity values used in the LCP OU2 risk assessment is contingent upon EPA Region 4 approval.

3) Section 3.4: Uncertainty Evaluation for COPCs

The Memo mentions that a “*designation of Potential COPC (“PCOPC”) is given to constituents that were not detected, but had more than 5% of detection limits greater than the screening level*”. The designation of “PCOPCs” does not conform to the recommended constituent of potential concern (COPC) selection procedures outlined in Section 2.6 of EPA’s *Region 4 Human Health Risk Assessment Supplemental Guidance* [R4HHRA]². Also, since the HHBRA indicates that PCOPCs will be evaluated in the risk assessment, referring to constituents as PCOPCs adds unnecessary confusion given that the term “COPCs” already refers to all constituents that are further evaluated in a risk assessment. To address this comment, please label all PCOPCs as COPCs and evaluate all COPCs in the risk assessment.

4) Section 4.3.2: CBA Subsurface Receptors and Exposure

The Memo discusses control of exposures; “...subsurface disturbance of the CBA will be prohibited and limited to minor reworking of the soil cover or addition of hardscape surface (e.g., parking or surface storage)”. However, the presence of free-product mercury in the CBA will not only result in physical exposures; leaching to groundwater must also be considered.

5) Section 4.6: Exposure Parameters

² [R4HHRA] = United States, United States Environmental Protection Agency, EPA Region 4 Scientific Support Section, Superfund Division. (2018, March). *Region 4 Human Health Risk Assessment Supplemental Guidance*. Retrieved from [[HYPERLINK](https://www.epa.gov/sites/production/files/2018-03/documents/hhra_regional_supplemental_guidance_report-march-2018_update.pdf) "https://www.epa.gov/sites/production/files/2018-03/documents/hhra_regional_supplemental_guidance_report-march-2018_update.pdf"]

The Memo indicates that central tendency exposure (CTE) will be evaluated in the HHBRA along with reasonable maximum exposure (RME). Since remedial decisions will only be made on RME, it is recommended that the CTE evaluation not be included in the HHBRA to reduce any confusion that may result. If the HHBRA will include a CTE evaluation, please place the evaluation into a separate section and explicitly mention in the text that remedial decisions will only be made based on RME.

6) Section 4.7.3: Groundwater EPC

- a) There are concerns with the proposed approach for determining groundwater exposure point concentrations (EPCs). The RPs correctly cite EPA's *Determining Groundwater Exposure Point Concentrations* [GWEPC]³ when stating that EPCs should be calculated using data from groundwater wells located within the core of the plume. However, page 6 of [GWEPC] also states that "*assessors need adequate characterization of the entire plume to be able to identify the core of the plume*". Section 4.7.3 does not discuss if and how the plume will be characterized. Also, Section 4.2.1 of the Memo states that there is contaminant leakage from the Satilla Formation into the Ebenezer Formation and that the latter Formation has a high degree of concentration attenuation. If so, it may not be appropriate to aggregate four years of sampling results since older results may not represent current site conditions. Please address these concerns by providing additional information in the Section. Please note that if site and data considerations preclude deriving a groundwater EPC based on the upper confidence limit of the arithmetic mean (i.e. 95% UCL), [GWEPC] provides for using the maximum detected concentration as the EPC.
- b) The Memo mentions that the [GWEPC] expresses a preference for using data from two sampling events from the previous year to calculate the EPC. Furthermore, the Memo discusses that systematic monitoring was not conducted and the most recent available data is from 2017. Consistent with the [GWEPC] guidance's inclination to use data from the previous year, will provision be made for the collection of more recent samples? Bullets in this section also state that samples will be used from the 2017 to 2020 time period, please clarify or revise, as sampling from 2017 was used and mentioning samples post-2017 can lead to further confusion.

7) Figure 5: Area Water Wells

Please incorporate on-site production wells on Figure 5 showing the Area Water Wells.

8) Figure 6: Conceptual Site Model – OU2 Groundwater

The conceptual site model (CSM) only evaluates the inhalation/ingestion/dermal contact of groundwater for the hypothetical resident. Since industrial and excavation workers are expected to be present at the facility, please modify the CSM so that industrial worker and excavation worker inhalation/ingestion/dermal contact exposure to groundwater is evaluated.

³ [GWEPC] = United States, United States Environmental Protection Agency, Office of Solid Waste and Emergency Response. (2014, February).

Memorandum for Determining Groundwater Exposure Point Concentrations, Supplemental Guidance (OSWER Directive 9283.1-42). Retrieved from [[HYPERLINK "https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=236917"](https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=236917)]

9) Tables 3 and 4: Cell Building Area (CBA) Soil COPCs Selection

The Tables show that for both semi-volatile organic compounds (SVOCs) and volatile organic compounds (VOCs), there is only one surface soil sample and generally less than five mixed soil samples. This is not sufficient characterization of SVOCs and VOCs and is of concern given that several SVOCs and VOCs are being eliminated as COPCs based on the results of one sample; see #2a re FOD above. Section 4.2.2 indicates that polycyclic aromatic hydrocarbons (PAHs) are “*ubiquitous throughout the CBA study area*” and that there is a “*probable petroleum smear zone caused by historical water table fluctuation*” which indicates that both SVOCs and VOCs are of concern at the CBA. To ensure that there is enough information to adequately characterize the risks from SVOCs and VOCs exposure in soil, please provide a plan for further characterization (e.g. collecting more samples) of soil SVOCs and VOCs.

10) Executive Summary

Editorial consideration – please close the parenthesis after the RAGS citation in the last sentence of the Executive Summary opening paragraph.